

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (currently amended) A method for associating an application entity managed by an application with a plurality of related service entities each corresponding to a different business process administered ~~managed~~ by a different one of a plurality of application services, the application maintaining application metadata corresponding to the application entity, the application services maintaining service metadata corresponding to the related service entities, the method comprising:

matching the related service entities based on the service metadata;

combining the related service entities into a context entity that is a single entity derived from one or more service entities;

combining service metadata corresponding to the context entity into context metadata;

matching the application entity to the context entity based on the application metadata and the context metadata;

determining a state of each service entity within ~~[[a]]~~ its corresponding different business process, each of the different business processes having a plurality of pre-defined states ~~administered by the application service that manages the service entity~~;

determining dynamic actions available on the related service entities, the available dynamic actions comprising an indication of whether a state change is available on each service entity within its corresponding different business process; and

generating a display of the state of each service entity within its corresponding different business process and the available dynamic actions.

2. (original) The method of claim 1, wherein matching the related service entities comprises matching the related service entities based on attributes of the related service entities.

3. (original) The method of claim 1, wherein matching the application entity to the context entity comprises matching the application entity to the context entity based on attributes of the application entity and attributes of the context entity.

4. (original) The method of claim 1, further comprising obtaining service metadata corresponding to the related service entities.

5. (original) The method of claim 4, wherein obtaining the service metadata corresponding to the related service entities to the application comprises:

determining at a context service static actions available on the related service entities; and

querying an action service to determine dynamic actions available on the related service entities.

6. (original) The method of claim 4, further comprising providing the service metadata corresponding to the related service entities to the application.

7. (original) The method of claim 6, wherein providing the service metadata corresponding to the related service entities to the application comprises providing static and dynamic actions available on the related service entities to the application.

8-15. (canceled)

16. (currently amended) A system for managing ~~at~~ an application entity at an application ~~a first service entity at a first application service~~, the system comprising:

~~the~~ a first application service, said first application service maintaining first service metadata corresponding to ~~the~~ a first service entity and providing the first service metadata to a context service;

a second application service, said second application service maintaining second service metadata corresponding to a second service entity and providing said second

service metadata to said context service, the second service entity being related to the first service entity;

the application, said application maintaining application metadata corresponding to ~~an~~ the application entity and providing the application metadata to a context service;

the context service, said context service maintaining a context entity derived from the first and second service entities ~~entity~~, matching the application entity to the context entity, and providing the first and second service metadata to said application, the first and second service metadata being displayed by said application ~~and enabling the first service entity to be managed at said application~~, the first service metadata comprising a state of the first service entity within a ~~corresponding~~ first business process administered by the first application service and having a first plurality of pre-defined states, the first service metadata further comprising ~~a list of dynamic actions available on the first service entity, the available dynamic actions comprising~~ an indication of whether a state change is available on the first service entity within the first ~~its corresponding~~ business process, the second service metadata comprising a state of the second service entity within a second business process administered by the second application service and having a second plurality of pre-defined states, the second service metadata further comprising an indication of whether a state change is available on the second service entity within the second business process.

17. (canceled)

18. (original) The system of claim 17, wherein said context service matches the first service entity and the second service entity based on the first service metadata and the second service metadata.

19-20. (canceled)

21. (original) The system of claim 16, further comprising an action service for determining dynamic actions available on the first service entity at said first application service.

22. (original) The system of claim 21, wherein said context service queries said action service to determine the dynamic actions available on the first service entity and provides the dynamic actions available on the first service entity to said application.

23. (original) The system of claim 16, further comprising an execution service for providing the application metadata to said context service.

24. (original) The system of claim 23, wherein said execution service generates a display of the first service metadata.

25. (new) A computer readable storage medium for associating an application entity managed by an application with a plurality of related service entities each corresponding to a different business process administered by a different one of a plurality of application services, the application maintaining application metadata corresponding to the application entity, the application services maintaining service metadata corresponding to the related service entities, the computer readable storage medium having stored thereon computer-executable instructions that cause a computer to execute the following steps:

matching the related service entities based on the service metadata;

combining the related service entities into a context entity that is a single entity derived from one or more service entities;

combining service metadata corresponding to the context entity into context metadata;

matching the application entity to the context entity based on the application metadata and the context metadata;

determining a state of each service entity within its corresponding different business process, each of the different business processes having a plurality of pre-defined states;

determining dynamic actions available on the related service entities, the available dynamic actions comprising an indication of whether a state change is available on each service entity within its corresponding different business process; and

generating a display of the state of each service entity within its corresponding different business process and the available dynamic actions.

26. (new) The computer readable storage medium of claim 25, wherein matching the related service entities comprises matching the related service entities based on attributes of the related service entities.

27. (new) The computer readable storage medium of claim 25, wherein matching the application entity to the context entity comprises matching the application entity to the context entity based on attributes of the application entity and attributes of the context entity.

28. (new) The computer readable storage medium of claim 25, wherein the computer-executable instructions further cause the computer to obtain service metadata corresponding to the related service entities.

29. (new) The computer readable storage medium of claim 28, wherein obtaining the service metadata corresponding to the related service entities to the application comprises:

determining at a context service static actions available on the related service entities; and

querying an action service to determine dynamic actions available on the related service entities.

30. (new) The computer readable storage medium of claim 28, wherein the computer-executable instructions further cause the computer provide the service metadata corresponding to the related service entities to the application.

31. (new) The computer readable storage medium of claim 30, wherein providing the service metadata corresponding to the related service entities to the application comprises providing static and dynamic actions available on the related service entities to the application.